



PROFESSIONAL JACKS FACTORY





JIAXING FASTEN AUTO PARTS CO.,LTD
WWW.FASTENCHINA.COM



公司简介 COMPANY PROFILE

嘉兴发顺汽配有限公司是一家研究，设计，开发和制造各种规格油压千斤顶的专业企业，我们的工厂通过欧共体CE和德国GS认证。在立足国内市场同时还远销世界各地。公司坐落于美丽的城市嘉兴。望与您建立长期友好的合作。



JIAXING FASTEN AUTO PARTS CO., LTD IS A SPECIAL ENTERPRISE INTEGRATING RESEARCH, DESIGN, DEVELOPMENT AND MANUFACTURER OF HYDRAULIC JACK.

IT HAS ABUNDANT TECHNICAL FORCE AND PERFECT EQUIPMENT FOR PRODUCTION AND MONITORING. OUR FACTORY HAD PASSED EUROPEAN COMMUNITY CE CERTIFICATE AND GERMAN GS CERTIFICATE. ITS PRODUCTION'S SALE BASES ITSELF ON THE MARKETS AT HOME AND REACHES FAR TO VARIOUS PLACE IN THE WORLD. COMPANY IS LOCATED AT BEAUTIFUL JIAXING CITY.

WE HIGHLY EMPHASIZE WORKING HARD AND ARE BENT ON ESTABLISHING LONGSTANDING AND RELIABLE PARTNERSHIP WITH EVERY CLIENT FOR MUTUAL BENEFIT.

INFO@FASTENCHINA.COM



CONTENTS



HYDRAULIC BOTTLE JACK 03



HYDRAULIC FLOOR JACK 05



HYDRAULIC DOUBLE RAM BOTTLE JACK 07



AIR BOTTLE JACK 08



SCISSOR JACK 09



PORTA POWER JACK 09



JACK STAND 10



FARM JACK 10



SHOP CRANE 11



PICKUP TRUCK CRANE 12



TRANSMISSION JACK 13



MECHANICAL JACK 15



SHOP PRESS 15



ENGINE STAND 17



HYDRAULIC PIPE BENDER 17



LABOR SAVING WRENCH 18

HYDRAULIC BOTTLE JACK

液压立式千斤顶



FS02002
2 TON



FS02004
4 TON



FS02006
6 TON



FS02100
100 TON



FS02008
8 TON



FS02010
10 TON



FS02012
12 TON



FS02016
16 TON



FS02020
20 TON



FS02032-1
32 TON



FS02050-1
50 TON

Model	Capacity (Ton)	Min.H (mm)	Lifting. H (mm)	Adjust.H (mm)	N.W (kg)
FS02002	2	148	80	50	2.1
FS02003	3	168	100	50	2.3
FS02004	4	180	110	60	2.9
FS02005	5	195	125	60	3
FS02006	6	185	110	60	3.9
FS02008	8	200	125	60	4.6
FS02010	10	200	125	60	5.2
FS02012	12	210	125	60	6.3
FS02016	16	225	140	60	7.3

Model	Capacity (Ton)	Min.H (mm)	Lifting. H (mm)	Adjust.H (mm)	N.W (kg)
FS02020	20	235	145	60	9.7
FS02032-1	32	255	150	/	12
FS02032-2	32	255	150	60	12.5
FS02032-3	32	285	180	/	20
FS02050-1	50	255	150	/	19
FS02050-2	50	255	150	60	19.7
FS02050-3	50	300	180	/	29.5
FS02100	100	330	180	/	69
FS02200	200	330	180	/	140

INFO@FASTENCHINA.COM

HYDRAULIC BOTTLE JACK

液压立式千斤顶



WITH SAFETY VALVE TYPE



FS03050-1
50 TON



FS03002
2 TON



FS03004
4 TON



FS03006
6 TON



FS03008
8 TON



FS03010
10 TON



FS03012
12 TON



FS03016
16 TON



FS03020
20 TON



FS03032
30-32 TON

Model	Capacity (Ton)	Min.H (mm)	Lifting. H (mm)	Adjust. H (mm)	N.W (kg)
FS03002	2	158	90	50	2.3
FS03003	3	168	100	50	2.4
FS03004	4	180	110	60	3.1
FS03005	5	195	125	60	3.2
FS03006	6	185	110	60	4
FS03008	8	200	125	60	4.9
FS03010	10	200	125	60	5.3
FS03012	12	210	125	60	6.4
FS03012-1	12	155	65	60	5.8

Model	Capacity (Ton)	Min.H (mm)	Lifting. H (mm)	Adjust. H (mm)	N.W (kg)
FS03016	16	225	140	60	7.5
FS03016-1	16	190	105	60	6.9
FS03020	20	235	145	60	10
FS03020-1	20	190	105	60	9.3
FS03032	32	255	150	/	12.5
FS03050-1	50	255	150	/	19.5
FS03050-2	50	285	180	/	20
FS03050-3	50	300	180	/	30
FS03100	100	330	180	/	70

WWW.FASTENCHINA.COM

HYDRAULIC FLOOR JACK

液压卧式千斤顶



5.5KG-6.5KG
2 TON



7.0KG-8.5KG
2 TON



18KG
3 TON



22KG-36KG
3 TON

Model	Capacity (Ton)	N.W.(kg)	Min.H (mm)	Max. H (mm)	Remark
FS0502-05.5	2	5.5	135	300	C/B
FS0502-06.0	2	6	135	300	C/B
FS0502-06.5	2	6.5	135	320	C/B
FS0502-07.0	2	7	135	320	C/B
FS0502-07.5	2	7.5	135	320	C/B
FS0502-08.5	2	8.5	130	330	C/B
FS0502-10.5	2	10.5	135	385	
FS0502-13	2	13	85	385	

Model	Capacity (Ton)	N.W.(kg)	Min.H (mm)	Max. H (mm)	Remark
FS0503-18	3	18	140	430	
FS0503-22	3	22	140	460	
FS0503-28	3	28	135	500	
FS0503-30	3	30	135	500	
FS0503-32	3	32	135	500	
FS0503-34	3	34	135	500	
FS0503-36	3	36	135	500	

INFO@FASTENCHINA.COM

ALUMINUM RACING JACK



FS05A2.0
2 TON



FS05A1.5
1.5 TON



GARAGE JACK



33KG
3 TON



44KG
3 TON

85 LOW PROFILE
mm Min.Height



LONG FLOOR JACK



2-20 TON



Model	Capacity (Ton)	N.W.(kg)	Min.H (mm)	Max. H (mm)	Remark
FS05A1.5	1.5	14	90	360	Aluminum
FS05A2.0	2	20	95	420	Aluminum
FS05A3.0	3	26	95	480	Aluminum
FS05LD33	3	33	75	500	Low Profile & Dual Pump
FS05LD44	3	44	70	508	Low Profile & Dual Pump
FS05T02	2	58	140	800	Long For Truck

Model	Capacity (Ton)	N.W.(kg)	Min.H (mm)	Max. H (mm)	Remark
FS05T03A	3	58	140	670	Long For Truck
FS05T03B	3	68	140	620	Long For Truck
FS05T05	5	90	160	560	Long For Truck
FS05T10	10	130	170	570	Long For Truck
FS05T15	15	165	220	680	Long For Truck
FS05T20	20	215	220	680	Long For Truck

HYDRAULIC DOUBLE RAM BOTTLE JACK

液压双节顶



Model	Lifting Wt (ton)	Min.H (mm)	lifting.H (mm)		Adjust.H (mm)	N.W (kg)
FS0402	2	165	98	92	55	2.9
FS0404	4	150	80	80	35	4.2
FS0406	6	154	80	80	40	5.5
FS0408	8	156	80	80	40	6.0
FS0410	10	225	140	145	50	8.5

Model	Lifting Wt (ton)	Min.H (mm)	lifting.H (mm)		Adjust.H (mm)	N.W (kg)
FS0412	12	230	140	145	50	10.5
FS0416	16	232	140	145	50	12.0
FS0420	20	235	140	145	50	15.5
FS0432	32	250	140	140	/	22.0

SCREW JACK

螺旋千斤顶



Model	Capacity (ton)	Min.H (mm)	Max.H (mm)	N.W (kg)	Product Size(mm)	Package Size(mm)	Qty/ctn(pcs) with handle
FS1402-1	2	150	310	3.58	160*118*150	480*250*195	6
FS1402-2	2	180	395	3.93	160*118*180	480*250*220	6
FS1402-3	2	215	485	4.35	160*118*215	480*250*250	6
FS1402-4	2	197	408	4.08	160*118*197	490*250*240	6
FS1402-5	2	194	405	4	160*118*194	480*250*240	6

2-200T



INFO@FASTENCHINA.COM

AIR BOTTLE JACK

气动顶 BY5803



FS24B05
5 TON



FS24B12
12 TON



FS24B20
20 TON



FS24B20-1
20 TON



FS24B30-1
30 TON



FS24B30
32 TON



FS24B50
50 TON



FS24F30 30 TON
FS24F35 35 TON



FS24F22
22 TON

FS24F50
50 TON

Model	Capacity (ton)	Min.H (mm)	lifting.H (mm)	Adjust.H (mm)	Max.H (mm)	N.W (kg)	G.W (kg)	Qty/Ctn (pcs)	Measurement (cm)	20' Container (pcs)
FS24B05	5	210	140	80	430	6	7	1	20x17x23	2100
FS24B12	12	250	165	80	495	10	11	1	24x18x28	1350
FS24B20	20	260	170	80	510	17	18	1	26x20x28	1000
FS24B20-1	20T(Low)	210	100	80	390	15	16	1	26x21x23	1150
FS24B30	30	250	150	/	400	21	22	1	29x22x27	700
FS24B30-1	30	250+25	150	/	400+25	21	22	1	29x22x27	700
FS24B50	50	265	160	/	425	32	34	1	46x28x31	700
FS24F22	22	275+20	130	80	435+100	36	38	1	64x35x30	410
FS24F30	30	257+20	150	120	527+100	42	44	1	64x35x34	350
FS24F35	35	257+20	150	120	527+100	42	44	1	64x35x34	350
FS24F50	50	260+20	160	/	420+100	44.5	46	1	64x35x35	345

SCISSOR JACK

剪顶



Model	Capacity (ton)	Min.H (mm)	Max.H (mm)	Qty/Ctn (pcs)	N.W (kg)	G.W/CTNS (kg)	Measurement (cm)	Inner Package	40' Container (pcs)
FS1106	0.6	85	385	10	2.1	22	40x22x41	Color Box	13000
FS1108	0.8	102	330	10	1.75	19	48x38x23	Color Box	11600
FS1110	1	103	350	10	1.9	20	48x41x23	Color Box	9000
FS1115	1.5	105	385	10	2.2	23	51x42x23	Color Box	11600
FS1120	2	98	440	6	3.1	20	50x33x23	Color Box	9000

PORT POWER JACK

分离顶



Model	Capacity (ton)	Min.H (mm)	Lifting Range (mm)	N.W (kg)	G.W (kg)	Package Size(mm)	20'FCL (pcs)
FS22-04A	4	270	125	17.0	19.0	580*250*165	1000
FS22-04B	4	270	125	17.0	19.0	630*365*175	660
FS22-10A	10	358	135	30.0	31.0	740*420*170	470
FS22-10B	10	358	135	31.0	32.0	730*330*185	600
FS22-10C	10	358	135	32.0	33.0	950*410*200	400
FS22-15	15	358	135	35.0	37.0	950*400*190	400
FS22-20A	20	385	145	43.0	47.0	730*310*280	400

INFO@FASTENCHINA.COM

JACK STAND

支架



FS06-02
2 TON



FS06-03
3 TON



FS06-06
6 TON



FS06-12
12 TON



FS06T-02
2 TON



FS06T-03
3 TON



FS06T-06
6 TON

Model	Capacity	MinH (mm)	MaxH (mm)	NW/GW (kg)	PACKAGE SIZE (mm)	QTY/CTN (Pair)	20°FCL (Pairs)
FS06-02	2T	275	430	5/5.3	190*180*340	1	2400
FS06-03	3T	295	430	5.3/5.6	195*195*350	1	2300
FS06-06	6T	380	600	9.3/9.8	280*240*420	1	1000
FS06-12	12T	505	770	28/29	350*310*590	1	440

Model	Capacity	MinH (mm)	MaxH (mm)	NW/GW (kg)	PACKAGE SIZE (mm)	QTY/CTN (Pair)	20°FCL (Pairs)
FS06T-02	2T	270	425	5/5.5	210*190*350	1	2000
FS06T-03	3T	290	435	6.5/7	225*205*360	1	1750
FS06T-06	6T	380	600	12.5/13	300*250*440	1	850

FARM JACK

农夫顶



FS12A



FS12B



FS12C



FS1220
20"



FS1233
33"



FS1248
48"



FS1260
60"

Model	Size	Min Height (mm)	Max Height (mm)	N.W. (kgs)	G.W. (kgs)	Package Size(mm)	Qty/Ctn (Pair)	20°FCL (pair)
FS1220	20"	130	680	11	12	540*240*140	1	1320
FS1233	33"	130	700	12	13	890*240*140	1	950
FS1248	48"	130	1070	13	14	1240*240*140	1	670
FS1260	60"	130	1350	14	15	1540*240*140	1	550

SHOP CRANE

液压吊机



FS20W.1-70
1 TON

WELDING TYPE

Model	FS20W.1-70
Capacity (ton)	1
Lifting.H (mm)	2090
N.W (kg)	70
G.W (kg)	80
Package Size (mm)	1450*510*290
20'FCL (pcs)	130



FS20F.1-65
1 TON

CE

Model	FS20F.1-65
Capacity (ton)	1
Lifting.H (mm)	2200
N.W (kg)	65
G.W (kg)	68
Package Size (mm)	1360*315*160 730*585*90
20'FCL (pcs)	250



FS20.1-65
1 TON

Model	FS20.1-65
Capacity (ton)	1
Lifting.H (mm)	2200
N.W (kg)	65
G.W (kg)	68
Package Size (mm)	1310*840*90 1320*300*160
20'FCL (pcs)	175

CE



Model:FS20.2
Capacity: 2ton
Lifting.H: 2300mm

CE



FS20.3
3 TON

CE



Model: FS20F.2
Capacity: 2ton
Lifting.H: 2300mm

FS20F.2
2 TON

CE



Model	FS20.3
Capacity (ton)	3
Lifting.H (mm)	2500
N.W (kg)	115
G.W (kg)	120
Package Size (mm)	1350*830*120 1450*330*220
20'FCL (pcs)	140

INFO@FASTENCHINA.COM

SHOP CRANE CE



液压吊机



**FS20A.1-68
1 TON**

Model	FS20A.1-68
Capacity (ton)	1
Lifting.H (mm)	2200
N.W (kg)	68
G.W (kg)	70
Package Size (mm)	1360*315*160 730*585*90
20°FCL (pcs)	270



**FS20A.2-83
2 TON**

Model	FS20A.2-83
Capacity (ton)	2
Lifting.H (mm)	2300
N.W (kg)	83
G.W (kg)	85
Package Size (mm)	1360*315*160 730*585*90
20°FCL (pcs)	270

PICKUP TRUCK CRANE



**CE
FS20P1
1000 LBS**

Model	FS20P1
Capacity (lbs)	1000
Working Range of Boom (mm)	870-1290
Lifting.H (mm)	0-2015
N.W (kg)	36.5
G.W (kg)	38.7
Package Size (mm)	290*290*330 1090*270*200
20°FCL (pcs)	290



**CE
FS20P2
2000 LBS**

Model	FS20P2
Capacity (lbs)	2000
Working Range of Boom (mm)	870-1290
Lifting.H (mm)	0-2300
N.W (kg)	53
G.W (kg)	57
Package Size (mm)	275*275*310 1260*300*240
20°FCL (pcs)	200



LONG RAM JACK FOR CRANE



**ELECTRIC WING HOIST
FS20PE1**

Lifting Max Height: 1950mm
N.W(kg): 60
Electric Winch(LBS):660,1500,
2000,2500,3000,3500,5000

WWW.FASTENCHINA.COM

TRANSMISSION JACK


高位运送顶



TRANSMISSION JACK

Model	FS15.05E
Capacity(ton)	0.5
Min.H.(mm)	850
Max.H.(mm)	1790
N.W.(kg)	57
G.W.(kg)	66
Overall Dim(cm)	78x68x96
Measurement(cm)	52x23x80
20'Container(pcs)	230

FS15.05E
0.5 TON



TRANSMISSION JACK

Model	FS15.05C
Capacity(ton)	0.5
Min.H.(mm)	850
Max.H.(mm)	1790
N.W.(kg)	54
G.W.(kg)	62
Overall Dim(cm)	78x68x96
Measurement(cm)	52x23x80
20'Container(pcs)	230

FS15.05C
0.5 TON



FS15.05F
0.5 TON



FS15.05
0.5 TON



FS15.05B
0.5 TON

TRANSMISSION JACK

Model	FS15.05F
Capacity(ton)	0.5
Min.H.(mm)	850
Max.H.(mm)	1770
N.W.(kg)	75
G.W.(kg)	82
Overall Dim(cm)	/
Measurement(cm)	55x37x90
20'Container(pcs)	180

TRANSMISSION JACK

Model	FS15.05
Capacity(ton)	0.5
Min.H.(mm)	845
Max.H.(mm)	1770
N.W.(kg)	76
G.W.(kg)	84
Overall Dim(cm)	78x68x96
Measurement(cm)	55x37x84
20'Container(pcs)	180

SINGLE TRANSMISSION JACK

Model	FS15.05B
Capacity(ton)	0.5
Min.H.(mm)	1000
Max.H.(mm)	1900
N.W.(kg)	30
G.W.(kg)	34
Overall Dim(cm)	57x57x110
Measurement(cm)	112x22.5x28
20'Container(pcs)	410

TRANSMISSION JACK

高位运送顶



FS15.05A
0.5 TON

SINGLE TRANSMISSION JACK

Model	FS15.05A
Capacity(ton)	0.5
Min.H.(mm)	1300
Max.H.(mm)	1800
N.W.(kg)	28
G.W.(kg)	30
Overall Dim(cm)	87x87x130
Measurement(cm)	85.5x27x28
20'Container(pcs)	430



FS15.06
0.6 TON

SINGLE TRANSMISSION JACK

Model	FS15.06
Capacity(ton)	0.6
Min.H.(mm)	1000
Max.H.(mm)	1900
N.W.(kg)	37
G.W.(kg)	43
Overall Dim(cm)	57x57x110
Measurement(cm)	112x22.5x28
20'Container(pcs)	410



FS15.10
1.0 TON

TRANSMISSION JACK

Model	FS15.10
Capacity(ton)	1
Min.H.(mm)	845
Max.H.(mm)	1770
N.W.(kg)	80
G.W.(kg)	89
Overall Dim(cm)	/
Measurement(cm)	55x37x100
20'Container(pcs)	135

LOW POSITION TRANSMISSION JACK

低位运送顶



FS15L.05
0.5 TON



FS15L.10
1.0 TON





FS15L.15
1.5 TON

Model	Capacity (ton)	Min.H (mm)	Max.H. (mm)	N.W. (kg)	G.W. (kg)	Package	Qty/Ctn (pcs)	Measurement (cm)	20'Container (pcs)
FS15L.05	0.5	200	670	50	58	Carton	1	86x44x24	320
FS15L.10	1	190	780	59	68	Carton	1	91x52x29	250
FS15L.15	1.5	230	890	75	83	Carton	1	97x55x29	210

MECHANICAL JACK

机械千斤顶



规格 Model	额定载重量 (t) Rated capacity	试验载荷 (KN) Test load	满载时的手摇力 (N) Chain shake to lift full load	主要尺寸 (mm) Dimensions													净重 (kg) Net weight	单台包装体积 Volume cm
				A	B	C	D	E	F	G	H	K	R	S	T			
FSMJ015	1.5	22	280	81	100	600-900	60-360	55	46	110	225	147	119	175	113	14	62x18x19	
FSMJ030	3	44.1	350	83	130	735-1090	70-425	60	45	138	249	170	140	235	128	20	75x19x22	
FSMJ050	5	73.5	400	108	140	730-1075	80-425	71	68	170	249	180	155	217	128	28	75x21x25	
FSMJ100	10	147	580	124	140	800-1190	100-490	86	76	170	300	252	185	187	250	46	82x27x31	
FSMJ160	16	235	800	130	150	820-1140	90-410	80	85	180	400	251	220	210	280	63	85x29x35	

HYDRAULIC SHOP PRESS

液压压机



FS-E1006
6 TON



FS-E1012
12 TON



FS-E1020
20 TON



FS-E1030
30 TON

Model	Capacity (ton)	Working Range (mm)	N.W (kg)	G.W (kg)	Package Size (mm)	20'FCL (pcs)
FS-E1006	6	0-200	28	30	950*440*120	380
FS-E1012	12	0-700	44	47	1370*225*140	360
FS-E1020	20	0-725	84	88	1# 660*220*220 2# 1600*160*125	180
FS-E1030	30	0-810	130	135	1# 980*300*190 2# 1690*160*145	130
FS-E1050	50	0-860	145	150	/	110

INFO@FASTENCHINA.COM

HYDRAULIC SHOP PRESS

液压压机



FS-E2010A
table type
10 TON



FS-E2010B
10 TON



FS-E2010C
foot pump
10 TON



FS-E2020A
20 TON



FS-E2020B
foot pump
20 TON



FS-E2030
30 TON

Model	Capacity (ton)	Stroke (mm)	Min.H (mm)	Max.H (mm)	N.W. (kg)	G.W. (kg)	Package Size (mm)	20°FCL (pcs)
FS-E2010A	10	135	/	358	51	53	800*260*205	380
FS-E2010B	10	135	90	858	70	72	1350*260*200	250
FS-E2010C	10	135	90	858	70	72	1350*280*220	250
FS-E2020A	20	145	90	1035	90	92	1620*250*110 700*265*240	210
FS-E2020B	20	190	/	955	90	92	1620*250*110 700*270*240	200
FS-E2030	30	150	130	820	150	160	1750*380*270	120
FS-E2040	40	235	100	885	235	250	1880*940*400	30
FS-E2050	50	235	100	885	235	267	1880*940*400	30

WWW.FASTENCHINA.COM

ENGINE STAND CE

引擎支架



FS-ZX0601-1
750 LB



FS-ZX0601-2
1000 LB



FS-ZX0601-3
1250 LB



FS-ZX0601-4
1500 LB



FS-ZX0601-5A
2000 LB



FS-ZX0601-5B
2000 LB



Model:FS-I1007
Capacity:1000LBS,
1500LBS,2000LBS

Model	Capacity (lbs)	Operating Height (mm)	G.W/N.W. (kg)	Package Size (mm)	20"FCL (pcs)
FS-ZX0601-1	750	800	19/18	880*200*200	790
FS-ZX0601-2	1000	800	20/19	900*210*200	700
FS-ZX0601-3	1250	820	27/26	910*220*220	640
FS-ZX0601-4	1500	820	28/27	860*280*210	510
FS-ZX0601-5A	2000	815	35/34	840*300*220	510
FS-ZX0601-5B	2000	815	35/34	910*450*180	380

HYDRAULIC PIPE BENDER CE

弯管机



FS-L1001
12 Ton



FS-L1002
16 Ton



FS-L1003
12 Ton

Model	Capacity (ton)	Various Shoe	N.W (kg)	G.W (kg)	Package Size (mm)	20"FCL (pcs)
FS-L1001	12	1/2", 3/4", 1", 1-1/4", 1-1/2", 2"	35	37	630*540*170	430
FS-L1002	16	1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2-1/2", 3"	63	65	680*610*190	300
FS-L1003	12	1/2", 3/4", 1", 1-1/4", 1-1/2", 2", 2-1/2", 3"	62	68	770*350*240	260


INFO@FASTENCHINA.COM

LABOR SAVING WRENCH

省力扳手




FS-88D-A


Code name	A	B	C	D	E	F	G	H	I	J
Name	Main input shaft	2-stage input	H17 Gear	Pin	Pin	H17 Gear	3-stage input	Pin	H25 Gear	Output shaft
English	Quantity	1	1	4	4	4	1	4	4	1
	Gear modulus	3.0	3.0	3.0		3.0	3.0		3.0	

FS-58D-B


Code name	A	B	C	D	E	F	G	H	I	J
Name	Main input shaft	2-stage input	H17 Gear	Pin	Pin	H17 Gear	3-stage input	Pin	H25 Gear	Output shaft
English	Quantity	1	1	3	3	3	1	3	3	1
	Gear modulus	2.0	2.0	2.0		2.0	2.0		2.0	

FS-78D-A


Code name	A	B	C	D	E	F	G	H	I	J
Name	Main input shaft	2-stage input	H13 Gear	Pin	Pin	H13 Gear	3-stage input	Pin	H25 Gear	Output shaft
English	Quantity	1	1	4	4	4	1	4	4	1
	Gear modulus	3.0	3.0	3.0		3.0	3.0		3.0	

FS-58C-E


Code name	A	B	C	D	E	F	G	H	I	J
Name	Main input shaft	2-stage input	H17 Gear	Pin	Pin	H17 Gear	3-stage input	Pin	H25 Gear	Output shaft
English	Quantity	1	1	3	3	3	1	3	3	1
	Gear modulus	2.0	2.0	2.0		2.0	2.0		2.0	

FS-68D-A

Code name	A	B	C	D	E	F	G	H	I	J
Name	Main input shaft	2-stage input	H17 Gear	Pin	Pin	H17 Gear	3-stage input	Pin	H25 Gear	Output shaft
English	Quantity	1	1	3	3	3	1	3	3	1
	Gear modulus	2.5	2.5	2.5		2.5	2.5		2.5	

FS-68C-C

Code name	A	B	C	D	E	F	G	H	I	J
Name	Main input shaft	2-stage input	H17 Gear	Pin	Pin	H17 Gear	3-stage input	Pin	H25 Gear	Output shaft
English	Quantity	1	1	3	3	3	1	3	3	1
	Gear modulus	2.5	2.5	2.5		2.5	2.5		2.5	

Model	Trans-speed ratio	Max torque output(N.M)	Drive square	Weight(kg)	Material	Sockets(pcs)
FS-88D-A	1:64/1:4.2/1:1	>6800	1"	9.5	40Cr	1-4
FS-58D-B	1:58	>4800	1"	7.5	40Cr	1-4
FS-78D-A	1:78	>7500	1"	9.5	40Cr	1-4
FS-58C-E	1:58	>4800	1"	8.0	40Cr	1-4
FS-68D-A	1:68	>6200	1"	8.0	40Cr	1-4
FS-68C-C	1:68	>6200	1"	8.5	40Cr	1-4



嘉兴发顺汽配有限公司
JIAXING FASTEN AUTO PARTS CO.,LTD

地址：浙江省海盐县西塘桥镇

Add: Xitangqiao Town, Haiyan County, Zhejiang, china

Tel: +86-573-86960836

Mob: +86-15888325877(WhatsApp)

Skype: bruceliu925 WeChat: bruceliu925

Q Q: 511702926 Web: www.fastenchina.com

E-mail: bruceliu925@qq.com info@fastenchina.com



WEB



WeChat